## **EAST Search History**

## **EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	("20010008534"   "20010028644"   "20010040042"   "20020007490"   "20020027876"   "20020027927"   "20020039359"   "20020044597"   "20020056137"   "20020080933"   "20020097105"   "20020167970"   "20030012362"   "20030142759").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:45
S2	314	370/536.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:40
S3	49	S2 and (inverse near5 multiplex \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 18:31
S4	16	S3 and (DS3 or E3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 14:56
S5	7	S4 and ((packet adj3 index\$3) or (sequenc\$3 adj3 number\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:44
S7	31	(inverse adj2 multiple\$3) and dsl and (DS3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:56
S9	231	(inverse adj2 multiple\$4) and (DS3 or T3 or E3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 10:41

S10	108	(inverse adj2 multiple\$4) and modem and (DS3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 10:50
S11	54	(inverse adj2 multiple\$4) and dsl and (DS3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:56
S13	2517	(inverse near5 (multiplex\$3 or mux)) or imux	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 18:32
S14	318	S13 and (DS3 or E3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:23
S15	120	S14 and ((twisted adj2 pair) or copper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 07:17
S16	0	atkino.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:05
S17	27	actelis.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 08:38
S18	2	"5608733".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 10:19
S19	7	"617363".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 11:28
S20	6	"510550".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 12:57
S21	2	"6421296".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 12:58

S22	108	(inverse adj2 multiple\$4) and	US-PGPUB;	OR	ON	2007/03/27
		modem and (DS3 or T3)	USPAT; EPO; JPO; DERWENT; IBM_TDB			17:28
S23	67	S22 and loop\$back	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:46
S24	2820	loop\$back and code and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:48
S25	1	(identify near loop\$back near code) and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:48
S26	236	(loop\$back with code) and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:51
S27	3158	(loop\$back with (code or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:52
S28	618	(loop\$back with (code or signal)) and intermediate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:53
S29	215	(loop\$back with (code or signal)) and intermediate and maintenance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 17:53
S30	419	(loop\$back with (code or signal)) and intermediate and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 07:25
S31	419	(loop\$back with (code or signal)) and intermediate and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:35
S33	275	\$31 and (consecutive or repeat \$3 or row)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:27

S34	2	"6657963".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:28
S35	2	"6657953".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:28
S36	108	(DS3 and loop\$back with (code or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:52
S37	40	(DS3 and loop\$back with (code or signal)) and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 16:52
S38	2	"3692964".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 17:42
S39	2524	(inverse near5 (multiplex\$3 or mux)) or imux	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:56
S40	158	S39 and (DS3 or E3 or T3) and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:24
S41	33	S39 and (DS3 or E3 or T3) and packet adj2 (number or sequence or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:49
S42	72	S39 and (DS3 or E3 or T3) and packet near5 (number or sequence or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:07
S43	7	\$39 and ((multilink adj2 point\$to \$point) or mlptp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:36
S44	7	S43 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:55

S45	4	S43 and packet near5 (number or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 12:56
S46	12	("4470112"   "4631534"   "4704606"   "4958341"   "5140582"   "5179556"   "5293378"   "5764624"   "5784357"   "5949778"   "6026092"   "6148010").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/29 13:59
S47	85	S39 and (DS3 or E3 or T3) and packet with (number or sequence or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:27
S48	44	((multilink adj2 point\$to\$point) or mlptp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 14:56
S49	2	"6754714".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:00
S50	2	"6160808".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 15:00
S51	360	S39 and packet with (number or sequence or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:58
S52	33867	(inverse near5 (multiplex\$3 or mux)) or imux or (load adj2 balanc\$3) or (load adj2 shar\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 16:57
S53	4309	S52 and packet with (number or sequence or index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 17:13
S54	29	S52 and segmentation and reassembly and resequencing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 17:14
S55	888	loop\$back and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:29

S56	55	loop\$back and repeater and ds3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 10:58
S57	2	loop\$back and repeater and ds3 and FEAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:04
S58	12	loop\$back and repeater and ds3 and (number adj2 times)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:11
S60	71	loop\$back and ds3 and (number adj2 times)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:13
S61	340	loop\$back and ds3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:14
S62	55	loop\$back and ds3 and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 11:37
S63	46	loop\$back and ds3 and repeater and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 12:06
S64	2	"6958908".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 12:07
S65	2	"3692964".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 13:26
S68	912	repeater and active and stand \$by	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 13:28
S69	701	repeater and active and stand \$by and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 13:29

S70	123	repeater and (active same stand \$by same switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/30 13:29
S71	2	repeater and non\$repeater with (switch or selector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:14
S72	2337	repeater and terminal with (switch or selector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 07:27
S73	73	repeater and terminal with (switch or selector) and ds3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 07:27
S74	3665	repeater and (non\$repeater or terminal or end\$station) with (switch or select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 07:39
S75	290	repeater and (non\$repeater or terminal or end\$station) with (switch or select\$3) and (ds3 or t3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 08:30
S76	17	repeater and (non\$repeater or (terminal adj station) or (end adj2 station) or (line adj terminal)) with (switch or select \$3) and (ds3 or t3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 08:41
S77	392	repeater and (non\$repeater or (terminal adj station) or (end adj2 station) or (line adj terminal)) with (switch or select \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:03
S78	20	"same" with (module or unit or circuit) with (repeater and ((line adj2 (terminal or unit) or (end adj2 station))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:35
S79	1	"same" with (module or unit or circuit) with (repeater and ((line adj2 (terminal or unit) or (end adj2 station)))) with (selector or switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:19
S80	42919	"same" with (module or unit or circuit) with (repeater adj station) and (terminal adj2 station) or (line adj2 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:37

S81	12	"same" with (module or unit or circuit) with (repeater adj station) and ((terminal adj2 station) or (line adj2 terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:38
S82	6	"same" with (module or unit or circuit) with (repeater adj station) with ((terminal adj2 station) or (line adj2 terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:12
S84	2	repeater with (end adj unit) with (switch or selector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:15
S85	91	repeater with (terminal adj (unit or station)) with (switch or selector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:23
S86	4	repeater with (terminal adj (unit or station)) with using with "same" with (module or unit or circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:25
S87	30	repeater with (terminal adj (unit or station)) with "same" with (module or unit or circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:54
S88	3	repeater with (terminal adj (unit or station)) with "same" with (module or unit or circuit) with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:56
S89	9512	repeater and configur\$5 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:57
S90	213	repeater with configur\$5 with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:05
S92	448667	repeater with (end adj unit) or (terminal adj2 (unit or station)) (configur\$5 or select\$4) with (switch or (dip adj switch) or conmutator or bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:13
S97	57041	repeater with (end adj unit) or (terminal adj2 (unit or station)) (configur\$5 or select\$4) with (switch or (dip adj switch) or conmutator or bridge) and west and east	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:14

S100	311	repeater and (dip adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:17
S101	104	repeater and (dip adj switch) and ("370".clas. or "455".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:25
S102	80	repeater and (dip adj switch) and ("370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:31
S103	42	repeater and (dip adj switch) and ("455".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:41
S104	311	repeater and (dip adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:57
S105	15351	repeater and (switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:57
S106	3402	repeater and (switch) and "370". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:57
S107	3402	repeater and switch and "370". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:57
S108	126569	repeater and switch and "370". clas. and t1 or e1 or ds3 or pcm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 12:58
S109	1089	repeater and switch and "370". clas. and (t1 or e1 or ds3 or pcm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 13:01
S110	1092	repeater and (switch or jumper) and "370".clas. and (t1 or e1 or ds3 or pcm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 13:01

S111	55	repeater and ((dip adj switch) or jumper)and "370".clas. and (t1 or e1 or ds3 or pcm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 13:17
S112	13	repeater and ((dip adj switch) or jumper)and "370".clas. and east and west	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 13:44
S113	106	repeater and ((dip adj switch) or jumper)and "370".clas. and local and remote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 13:45
S114	97	repeater and terminal and local and remote and dip adj switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:37
S115	11	back adj3 back adj2 repeaters	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:40
S116	6	ds3 near3 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:48
S117	103	two\$wire near5 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:07
S118	62	(ds3 or t3) near5 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:08
S119	27	actelis.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:26
S120	3159	(loop\$back with (code or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:20
S121	38	S120 and dip adj switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:21

S122	O	actelis.as. and dip adj switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:35
S123	5161	dsl adj modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:35
S124	233	dsl adj modem and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:39
S125	56	dsl near5 repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:58
S126	1924	repeater with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:59
S127	430	S126 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:03
S128	6	S127 and ds3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:00
S129	135	S126 and "370".clas. and (twisted or copper) adj pair	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 17:04
S130	2	"6101172".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 10:10
S131	230	1:1 adj protection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:44
S132	46	1:1 adj protection and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:33

S133	452	(1:1 or 1+1) adj protection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:45
S134	63	(1:1 or 1+1) adj protection and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:47
S135	0	(1:1 or 1+1) adj protection with chassis and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:48
S136	1	(1:1 or 1+1) adj protection with chassis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 15:42
S137	44	c-bit and loopback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 15:55
S138	10	c-bit and (ds3 with loopback)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 15:56
S139	752	(tsatsanis itri lao).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:08
S140	1	S139 and ds3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:57
S141	41	S139 and copper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 14:57
S142	30	(tsatsanis ).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:18
S143	2	"5181198".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/29 15:20

S144	2	"5381412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 08:40
S146	2	"5619505".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 08:40
S149	2	"5065396".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 09:20
S150	24	ds3 with (four S146) adj2 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 09:47
S151	4	"4322844".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 09:42
S152	361	(ds3 t3) same (four S146) adj4 (channel link circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 09:49
S153	116	(ds3 t3) with (four S146) adj4 (channel link circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 09:49
S154	5	aktino.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:21
S155	2546808	"45" mbit same "13" mbit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:21
S156	0	"45" adj mbit same "13" adj mbit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:22
S157	0	("45" adj mbit) same ("13" adj mbit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:22

S158	355	("45" adj m) same ("13" adj m)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 10:23
S159	3	("45" adj mb) same ("13" adj mb)	US-PGPUB; USPAT; EPO; UJPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:19
S160	4521	framer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:19
S161	48	framer and stream adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 10:26
S162	988	framer same number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:26
S163	30	framer with (stream link circuit channel) adj2 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:27
S165	2	(inverse adj multiplex\$3)and (framer with (stream link circuit channel) adj2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:28
S166	17	("5875192"   "5905781"   "6002670"   "6005873"   "6021158"   "6084885"   "6310894"   "6404861"   "6452942"   "6480487"   "6499061"   "6501770"   "6580727"   "6618374"   "6775305"   "6781985"   "6801539").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 15:40
S167	17	("5875192"   "5905781"   "6002670"   "6005873"   "6021158"   "6084885"   "6310894"   "6404861"   "6452942"   "6480487"   "6499061"   "6501770"   "6580727"   "6618374"   "6775305"   "6781985"   "6801539").PN. OR ("7092412"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 10:45
S168	105	(ds3 t3) and "11" adj Mbps	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 15:02

S169	1	(ds3 t3) with "11" adj Mbps	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 10:48
S170	4	(ds3 t3) with "4" adj links	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 10:48
S171	230	(inverse adj2 multiple\$4) and (DS3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 10:50
S172	49	(inverse adj2 multiple\$4) with (DS3 or T3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:14
S173	4	(inverse adj2 multiple\$4) with (DS3 or T3) with ("4" or four)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:19
S174	830	(DS3 or T3) with ("4" or four) with ("11" or eleven)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:22
S175	15138	(DS3 or T3) with ("4" or four)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:23
S176	128031	(DS3 or T3) with ("4" or four) znd "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:23
S177	769	(DS3 or T3) with ("4" or four) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:24
S178	228	(DS3) with ("4" or four) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 13:24
S179	2049	("11" "13") adj Mbps	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 15:04
S180	15	("11" "13") adj Mbps and ds3	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 15:04
S181	2	"5875192".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/04 16:31

S182	33	framer with (stream sequence link channel) adj2 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 10:26
S183	128	(inverse adj2 multiple\$4) with (four "4")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 11:27
S184	44	(inverse adj2 multiple\$4) with (pots twisted copper analog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 13:41
S185	6	(inverse adj2 multiple\$4) with ((stream link) adj (number indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 13:44
S186	13	(inverse adj2 multiple\$4) same ((stream link) adj (number indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 13:46
S187	82	(inverse adj2 multiple\$4) and ((stream link) adj (number indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 10:00
S188	318	(inverse adj2 multiple\$4) and (overhead ("13" adj Mbps))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:30
S189	0	(inverse adj2 multiple\$4) and ( ("13" adj Mbps))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:32
S190	1	(inverse adj2 multiple\$4) and ( ("13" adj Mb\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:34
S191	318	(inverse adj2 multiple\$4) and ( overhead)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:20
S192	191	(inverse adj2 multiple\$4) and ( overhead) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:47

S193	0	"18" adj "%" with( overhead) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:48
S194	1	"18" adj2 ("%" percent) same ( overhead) and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 15:51
S195	2	"6490296".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 16:46
S196	3	"7006500".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/05 16:47
S197	102	(inverse adj2 multiple\$4) and ((stream link) adj (number identif\$6 indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 10:08
S198	11	(inverse adj2 multiple\$4) and (packet header) with ((stream link) adj (number identif\$6 indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 10:13
S199	71	(inverse adj2 multiple\$4) and (packet header) with ((stream link channel pair conductor) adj (number identif\$6 indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 10:13
S200	52	(US-20050220180-\$ or US-20040062198-\$ or US-20030097624-\$ or US-20030048756-\$ or US-20030043753-\$ or US-20040165888-\$ or US-20060056330-\$ or US-20060203757-\$ or US-20060203757-\$ or US-2006026522-\$ or US-20030128706-\$ or US-20030128706-\$ or US-20030128706-\$ or US-20030123476-\$).did. or (US-6985503-\$ or US-7065104-\$ or US-7133441-\$ or US-4980887-\$ or US-7054376-\$ or US-6091738-\$ or US-3692964-\$ or US-6091738-\$ or US-5365590-\$ or US-5699353-\$ or US-5365512-\$ or US-44449247-\$ or US-5134609-\$ or US-4069402-\$ or US-	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/06 12:42

		5848054-\$ or US-4611324-\$ or US-5065396-\$ or US-7092412-\$ or US-6775305-\$ or US-6618374-\$ or US-6602670-\$ or US-4551830-\$ or US-5875192-\$ or US-7197031-\$ or US-7161953-\$).did. or (US-6198749-\$ or US-5787114-\$ or US-6822960-\$ or US-6205142-\$ or US-6490296-\$ or US-7006500-\$).did. or (EP-818941-\$ or WO-3096620-\$).did. or (EP-161900-\$ or JP-06021910-\$ or EP-143489-\$).did.				
S201	8	S200 and framer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/06 12:42
S202	9	(inverse adj2 multiple\$4) and ( overhead) with "13"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:16
S203	30	(inverse adj2 multiple\$4) and ( overhead) with "12"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 15:22
S204	29	("20010008534"   "20010028644"   "20010040042"   "20020007490"   "20020018491"   "20020027927"   "20020039359"   "20020044597"   "20020056137"   "20020080933"   "200200167970"   "20030012362"   "20030142759").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:15
S205	0	S204 and "64" adj2 byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:18
S206	O	S204 and stuff\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:16
S207	O	S204 and stuff\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:18

S208	126	(inverse adj2 multiple\$4) and stuff\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:43
S209	2 2	(US-20050220180-\$ or US-20040062198-\$ or US-20030097624-\$ or US-20030048756-\$ or US-20030043753-\$ or US-20060056330-\$ or US-2006026330-\$ or US-20060056522-\$ or US-20030128706-\$ or US-20030128706-\$ or US-20030123476-\$).did. or (US-6985503-\$ or US-7065104-\$ or US-7133441-\$ or US-4980887-\$ or US-3692964-\$ or US-3692964-\$ or US-3692964-\$ or US-5669353-\$ or US-5060226-\$ or US-3692964-\$ or US-5365512-\$ or US-4449247-\$ or US-5134609-\$ or US-4069402-\$ or US-5065396-\$ or US-50602670-\$ or US-4551830-\$ or US-6002670-\$ or US-4551830-\$ or US-5875192-\$ or US-7197031-\$ or US-7197031-\$ or US-7197031-\$ or US-7197031-\$ or US-6490296-\$ or US-6205142-\$ or US-6490296-\$ or US-7006500-\$).did. or (EP-818941-\$ or WO-3096620-\$).did. or (EP-161900-\$ or JP-06021910-\$ or EP-143489-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/07 15:59
S210	12	S209 and stuff\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 16:18
S211	4	S209 and "64" adj2 byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:17
S212	4	S209 and (("64" adj2 byte) ("512" adj bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 10:25

S213	69	(inverse adj multiplex\$3) and (("64" adj2 byte) ("512" adj	US-PGPUB; USPAT; EPO;	OR	ON	2007/12/06 17:25
		bit))	JPO; DERWENT; IBM_TDB			
S214	18	S213 and (begin\$3 end\$3) adj3 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:27
S215	0	S209 and (begin\$3 end\$3) adj3 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:30
S216	4	S209 and multilink adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:30
S217	66	(inverse adj2 multiple\$4) and "64" adj2 byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:44
S218	69	(inverse adj multiplex\$3) and (("64" adj2 byte) ("512" adj bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/06 17:51
S219	25	S209 and "64"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/06 18:09
S220	69	(inverse adj multiplex\$3) and (("64" adj2 byte) ("512" adj bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 10:33
S221	60	(inverse adj multiplex\$3) and (("64" adj2 byte) ("512" adj bit)) and fram\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 10:34
S222	58	(inverse adj multiplex\$3) and (("64" adj2 byte) ("512" adj bit)) and fram\$3 and (begin\$3 start)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:58
S223	7882	(stream link channel pair) with (number indicator identifier bit byte field) with \$wire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:01

S228	2	S227 and wir\$4 adj error	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/07 16:00
227	55	(US-20050220180-\$ or US-20040062198-\$ or US-20030097624-\$ or US-20030048756-\$ or US-20030043753-\$ or US-20060056330-\$ or US-20060203757-\$ or US-20060056522-\$ or US-20030128706-\$ or US-20030128706-\$ or US-20030128706-\$ or US-20030129476-\$ or US-20030123476-\$ or US-20020080825-\$).did. or (US-6985503-\$ or US-7065104-\$ or US-7133441-\$ or US-4980887-\$ or US-7054376-\$ or US-6657953-\$ or US-5060226-\$ or US-3692964-\$ or US-5699353-\$ or US-5365512-\$ or US-4449247-\$ or US-5134609-\$ or US-4469402-\$ or US-5065396-\$ or US-5062670-\$ or US-5065396-\$ or US-5062670-\$ or US-4551830-\$ or US-6002670-\$ or US-4551830-\$ or US-6002670-\$ or US-7197031-\$ or US-7197031-\$ or US-7197031-\$ or US-6490296-\$ or US-6005142-\$ or US-6490296-\$ or US-6005142-\$ or US-6731678-\$).did. or (EP-818941-\$ or US-60021910-\$ or US-6731678-\$).did. or (EP-161900-\$ or JP-06021910-\$ or EP-143489-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/07 15:59
S226	118	(identifier indicator detect\$3) with (wiring adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:50
S225	19	(identifier indicator) with (wiring adj error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:50
S224	23	S223 and (inverse adj multiplex \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 15:01

S230	2	S227 and ((wir\$4 adj error) miswir\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 08:16
S231	9	loopback with code with consecutive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:09
S232	16	loopback with code with (consecutive subsequent)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:36
S233	29	number with loopback with code	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:07
S234	5	number with times with loopback with code	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:07
S235	34	loopback with code with repeat \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:09
S236	48	loopback with code with (consecutive subsequent repeat \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:38
S237	2	repeater with non\$repeater with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:43
S238	254	repeater with end with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:40
S239	497	repeater with terminal with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:40
S240	4653	repeater with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:40
S241	0	repeater with non\$repeater with select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:43
S242	4	repeater with non\$repeater with configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:05
S243	97	(T3 ds3) with repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 14:59
S244	76	S243 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:00
S245	3650	repeater and (non\$repeater end) with (configur\$5 select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:13
S246	72	S245 and (Ds3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:06

OLUZ	~ /	Ozo i and repeater	USPAT; EPO; JPO; DERWENT	.Ort	OI <b>V</b>	16:19
S252	27	20040062198-\$ or US- 20030097624-\$ or US- 20030048756-\$ or US- 20030043753-\$ or US- 20040165888-\$ or US- 20060056330-\$ or US- 20060056330-\$ or US- 20060056522-\$ or US- 20030128706-\$ or US- 20030128706-\$ or US- 20030123476-\$ or US- 20030123476-\$ or US- 20020080825-\$).did. or (US- 6985503-\$ or US-7065104-\$ or US-7133441-\$ or US-4980887-\$ or US-7054376-\$ or US- 6657953-\$ or US-5060226-\$ or US-3692964-\$ or US-6091738-\$ or US-4369590-\$ or US- 5699353-\$ or US-5365512-\$ or US-4449247-\$ or US-5134609-\$ or US-4669402-\$ or US- 5848054-\$ or US-4611324-\$ or US-5065396-\$ or US-7092412-\$ or US-6775305-\$ or US- 6618374-\$ or US-6002670-\$ or US-4551830-\$ or US-5875192-\$ or US-7197031-\$ or US- 7161953-\$).did. or (US-6198749- \$ or US-5787114-\$ or US- 6822960-\$ or US-6205142-\$ or US-6490296-\$ or US-7006500-\$ or US-6731678-\$ or US- 5784558-\$ or US-5726993-\$ or US-5144624-\$ or US-5437023- \$).did. or (EP-818941-\$ or WO- 3096620-\$).did. or (JP- 59092638-\$).did. or (EP-161900- \$ or JP-06021910-\$ or EP- 143489-\$).did.	USPAT; EPO; DERWENT	OR	ON	16:25
S250 S251	72 59	inverse adj multiplex\$3 and repeater (US-20050220180-\$ or US-	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR OR	ON ON	2007/12/11 09:14 2007/12/10
S249	31	DS3 with repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:25
S248	244	repeater with (non\$repeater end) with (configur\$5 select\$3 dip)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:24
S247	455	repeater with (non\$repeater end) with (configur\$5 select\$3 switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/10 15:15

S254	88	DS3 and back-to-back	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/11 09:18
S255	12	S254 and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/11 09:14
S256	55	back-to-back with repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/11 09:18
S257	9126	repeat with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:52
S258	4398	repeat near5 switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:52
S259	1853	repeat near2 switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:52
S260	889	repeat near switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:53
S261	892	repeater near switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:58
S262	47	S260 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:58
S263	961	repeater with switch with (select control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:10
S264	183	S263 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:58
S265	1	non-repeater with switch with (select control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:09

,	,		. ,	,		
S266	5	repeater with (dip adj switch) with (select control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 10:12
S267	22	repeater with (dip adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:01
S268	58	repeater with west with east	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 12:42
S269	39	S268 and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 12:53
S270	23	S268 and switch with (configur \$5 select\$3 set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:46
S271	2	(east west) with (dip adj switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:02
S272	967	(east west) with configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:03
S273	197	repeater with switch with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:47
S274	6	repeater with (dip adj switch) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:49
S275	10	repeater same (dip adj switch) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:58
S276	10	repeater same (dip adj switch) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 13:58

S277	120	repeater and (dip adj switch) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:02
S278	26	loopback and (dip adj switch) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:40
S279	120	repeater and (dip adj switch) same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:30
S280	1637	west and repeater	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 15:40
S281	119	repeater and ("2000" "2100" "2200" "2300" "2400" "2500" "2600") adj (feet ft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 14:37
S282	1071	data adj rate with (copper twisted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:29
S283	363	S282 and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 14:43
S284	27	S283 and "13" adj Mbps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:28
S286	28	"13" adj mbps with (copper twisted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:29
S287	1245	inverse adj multiplex\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:33
S288	307	S287 and (copper twisted)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:33

S289	220	S288 and modem	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:33
S290	2	"6002670".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:47
S291	124	S289 and (ds3 t3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 14:57
S292	841	(inverse adj multiplex\$3) and (packet cell)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 16:55
S293	452	S292 and sequence and (link stream)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 16:55
S294	12	S292 and (sequence and (link stream)) adj number	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/24 16:56
S295	207	repeater and (code sequence) same loop\$back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 17:10
S296	111	repeater and (code sequence) with loop\$back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 17:11
S297	4	repeater and (code sequence) with loop\$back with (subsequent repated repetitions)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 17:30
S298	3	("4161635"   "4336610"   "4355215").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/26 17:52
S299	18	("2509365"   "3083270"   "3172965"   "3392242"   "3410968"   "3560670"   "3617657"   "3760127"   "3814840"   "3911226"   "4025737"   "4069402"   "4122358").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/26 17:56
S300	0	"929431".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/26 17:58

S301	6	"929431".ap.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/26 17:58
S302	2738	switch same repeater and ((end adj unit) terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 19:59
S303	1184	switch same repeater same ((end adj unit ) terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 19:59
S304	6	switch same repeater same ((end adj unit ))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 20:00
S305	540	switch with repeater with ((end adj unit) terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 20:01
S307	15	switch with (select) with repeater with ((end adj unit ) terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 20:03
S308	138	(select) with repeater with ((end adj unit) terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 20:03
S309	6	(select) with mode with repeater with ((end adj unit ) terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 20:05
S310	24	(select\$3) with mode with repeater with ((end adj unit ) terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 20:06
S311	240	(select\$3) with mode with repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 20:06
S312	46	switch with (select\$3) with mode with repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 20:06

S313	2	button with (select\$3) with mode with repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/26 20:08
S314	14	repeater with loop\$back with (select\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 08:56
S315	36	repeater with (loop\$back loop \$up) with code	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 09:25
S316	0	repeater with (loop\$back loop \$up) with code with (repetition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 09:26
S317	1	repeater and (loop\$back loop \$up) with code same (repetition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 09:26
S318	33	repeater with push\$button	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 09:41
S319	0	repeater with (push\$button button switch) with (end\$unit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 09:45
S320	7663	(push\$button button switch) same (end\$unit repeater non \$repeater)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 09:45
S321	5462	(push\$button button switch) with (end\$unit repeater non \$repeater)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 09:45
S322	248	(push\$button button ) with (end \$unit repeater non\$repeater)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 09:45
S323	0	(push\$button button ) with (end \$unit non\$repeater)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 09:47

S324	2	(push\$button button switch) with (end\$unit non\$repeater)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 09:47
S325	21	(push\$button button switch) same (end\$unit end\$terminal non\$repeater)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/27 09:48
S326	49260	(DS3 or E3 or T3) same ("4" four)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 16:26
S327	1216	(DS3) same ("4" four)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 16:26
S328	47	(DS3) same (divided split) with ("4" four)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 16:27
S329	3	versitron.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 16:28
S330	2	(DS3 or E3 or T3 "44.736") same "11.184"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 16:32
S331	2	"7295608".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 16:35
S332	11363	(DS3 or E3 or T3 "44.736") same (four S329)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 16:49
S333	5	(DS3 or E3 or T3 "44.736") same (four S329) adj stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 16:49
S334	77	(DS3 or E3 or T3 "44.736") same (four S329) adj (stream channel link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 16:52

S335	182	dsl with modem with "13"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 16:59
S336	0	dsl with modem with "13" adj mbps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 16:59
S337	1	dsl with modem with "13" with mbps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:00
S338	1224	"13" with mbps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:00
S339	140	"13" adj mbps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:00
S340	0	\$339 and inverse adj multiplex \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:02
S341	15	\$339 and ((inverse adj multiplex \$3) demux demultiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:03
S342	0	S339 and (inverse adj multiplex \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:05
S343	237	"13" adj3 mbps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:06
S344	3	\$343 and (inverse adj multiplex \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:06
S345	8	"12.96" adj3 mbps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/05 17:16

S346	53	(twisted copper) same (inverse adj multiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 07:42
S347	7	(twisted copper) same (inverse adj multiplex\$3) same (ds3 t3 e3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 07:43
S348	758	(inverse adj multiplex\$3) and fram\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 08:12
S349	219	S348 and (stream link channel sequence) adj2 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 08:12
S350	175	S348 and (stream link sequence) adj2 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 08:19
S351	5	S348 and (stream link) adj2 number same sequence adj2 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 08:20
S352	672	(inverse adj multiplex\$3) and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 08:42
S353	289	(inverse adj multiplex\$3) same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 08:42
S354	24	(inverse adj multiplex\$3) same packet same sequence adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 08:42
S356	0	"44.736" adj mbps same "11.184" adj mbps	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 09:55
S357	1	"44.736" adj mbps and "11.184" adj mbps	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 09:55

S358	1	(ds3 e3) and "11.184" adj mbps	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 09:56
S361	3	(ds3 e3) same (inverse adj multiplex\$3) same four	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 09:57
S362	0	("44.736" "45") adj mbps same (inverse adj multiplex\$3) same four	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 09:59
S363	5	(("44.736" "45" ) adj mbps (ds3 t3 ds-3 t-3)) same (inverse adj multiplex\$3) same four	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 10:30
S364	35	hatteras.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 10:40
S365	752	(("44.736" "45" ) adj mbps (ds3 t3 ds-3 t-3)) same ((inverse adj multiplex\$3) split\$4 divid\$3) same four	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 10:43
S366	51	(("44.736" "45" ) adj mbps (ds3 t3)) same ((inverse adj multiplex \$3) split\$4 divid\$3) same four adj8 (link stream line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 10:45
S367	16559	copper with bonded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 10:51
S368	3	(("44.736" "45" ) adj mbps (ds3 t3)) same ((inverse adj multiplex \$3) split\$4 divid\$3) same four with ( copper twisted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 10:51
S369	17	aktino.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 11:16
S370	0	ds3 same (bonded adj copper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 13:10

S371	1	ds3 and (bonded adj copper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 13:10
S372	106	ds3 same copper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 13:11
S373	211	ds3 with (pdh sdh)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 13:28
S374	85	ds3 near4 (pdh sdh)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 13:29
S375	40	ds3 near2 (pdh sdh)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 13:29
S376	14	ds3 near2 (pdh )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 13:30
S377	6	"363926".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 14:13
S378	67	dsl and ("12.96" "13") adj mbps	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 17:03
S380	5	dsl with ("12.96" "13") adj mbps	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 17:09
S381	32	dsl same ("12.96" "13") adj mbps	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 17:13

S382	75	(US-20050008041-\$ or US-20020080825-\$ or US-20050220180-\$ or US-20030123476-\$ or US-20030128706-\$ or US-20030128706-\$ or US-20030169780-\$ or US-20030097624-\$ or US-20030048756-\$ or US-20030043753-\$ or US-20040062198-\$ or US-20060056330-\$ or US-20060056530-\$ or US-20060056522-\$ or US-20020176139-\$ or US-20020150107-\$ or US-20030103465-\$ or US-6005142-\$ or US-6775305-\$ or US-6618374-\$ or US-6618374-\$ or US-6002670-\$ or US-5065396-\$ or US-7161953-\$ or US-7065104-\$ or US-733977-\$ or US-5065396-\$ or US-730977-\$ or US-5065396-\$ or US-5744624-\$ or US-4980887-\$ or US-5667953-\$ or US-5784558-\$ or US-4551830-\$ or US-5060226-\$ or US-3692964-\$ or US-5060266-\$ or US-5784558-\$ or US-4449247-\$ or US-6987589-\$ or US-5365590-\$ or US-5365512-\$ or US-6967589-\$ or US-5365590-\$ or US-5365512-\$ or US-6967589-\$ or US-5365590-\$ or US-5365512-\$ or US-6967589-\$ or US-5365590-\$ or US-5365590-\$ or US-5365512-\$ or US-6967589-\$ or US-5365590-\$ or US-5366161-\$ or US-6928056-\$ or US-6928056-\$ or US-6928056-\$ or US-596021910-\$ or US-61900-\$ or US-60021910-\$ or US-61900-\$ or US-60021910-\$ or US-61900-\$ or US-61900-\$ or US-61900-\$ or US-61900-\$ or US-61900-\$ or US-61	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	N	2009/05/06
S383	13	S382 and (round adj robin)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/06 17:28

S384	75	20020080825-\$ or US- 20050220180-\$ or US- 20030123476-\$ or US- 20030128706-\$ or US- 20030169780-\$ or US- 20040062198-\$ or US- 20030097624-\$ or US- 20030048756-\$ or US- 20030048756-\$ or US- 20030043753-\$ or US- 20060056330-\$ or US- 20060203757-\$ or US- 20060056522-\$ or US- 20020176139-\$ or US- 20020150107-\$ or US- 20030223446-\$ or US- 20030086514-\$).did. or (US- 7133441-\$ or US-7092412-\$ or US-6985503-\$ or US-6775305-\$ or US-6618374-\$ or US- 6205142-\$ or US-6198749-\$ or US-7065104-\$ or US-7039476-\$ or US-5065396-\$ or US- 7161953-\$ or US-7230977-\$ or US-5065396-\$ or US- 5144624-\$ or US-4980887-\$ or US-56657953-\$ or US- 5784558-\$ or US-4980887-\$ or US-6671678-\$ or US- 5784558-\$ or US-4980887-\$ or US-6639353-\$ or US- 5784558-\$ or US-4980887-\$ or US-6731678-\$ or US- 5784558-\$ or US-4980887-\$ or US-6639353-\$ or US- 5784558-\$ or US-4980887-\$ or US-6657953-\$ or US- 5784558-\$ or US-4980887-\$ or US-6657953-\$ or US- 5784558-\$ or US-4980887-\$ or US-6630226-\$ or US-5726993-\$ or US-5060226-\$ or US-3692964-\$ or US-56639353-\$ or US- 5784558-\$ or US-5726993-\$ or US-5665590-\$ or US-5365512-\$ or US-6967589-\$ or US-5365512-\$ or US-6967589-\$ or US-5875192-\$ or US-6988056-\$ or US-5875192-\$ or US-668834-\$).did. or (EP- 818941-\$ or WO-3096620-\$). did. or (JP-59092638-\$).did. or (EP-161900-\$ or JP-06021910-\$ or EP-143489-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	S	2009/05/07
S385	22		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 08:35

S387	1074	(packet ) near3 "64" adj bytes	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:25
S388	0	(packet) near3 "64" adj bytes with framing adj byte	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:26
S389	2	(packet ) near3 "64" adj bytes and inverse adj multiplexing	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:26
S390	10	(packet ) near3 "64" adj bytes and ds3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 09:27
S391	31	(stuff\$3 pad\$4) with (vary change) with size with packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 13:51
S392	76	(US-20050008041-\$ or US-20020080825-\$ or US-20050220180-\$ or US-20030123476-\$ or US-20030128706-\$ or US-20030169780-\$ or US-20040062198-\$ or US-20030048756-\$ or US-20030048756-\$ or US-20030043753-\$ or US-20060056330-\$ or US-20060056330-\$ or US-20060056522-\$ or US-20030176139-\$ or US-200301761455-\$ or US-200301761455-\$ or US-2003017614-\$ or US-2003017614-\$ or US-6775305-\$ or US-6985503-\$ or US-6775305-\$ or US-6618374-\$ or US-6002670-\$ or US-5065396-\$ or US-7161953-\$ or US-7054376-\$ or US-5437023-\$ or US-7230977-\$ or US-7006500-\$ or US-5144624-\$ or US-4980887-\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/05/07

		or US-6657953-\$ or US-5784558-\$ or US-4551830-\$ or US-5060226-\$ or US-3692964-\$ or US-6731678-\$ or US-6731678-\$ or US-5365512-\$ or US-5365590-\$ or US-5365512-\$ or US-4409402-\$ or US-5848054-\$ or US-6967589-\$ or US-5875192-\$ or US-6822960-\$ or US-5787114-\$ or US-6928056-\$ or US-4402075-\$ or US-4122358-\$ or US-6608834-\$ or US-7035294-\$).did. or (EP-818941-\$ or US-59092638-\$).did. or (EP-161900-\$ or JP-06021910-\$ or EP-143489-\$).did.				
S393	6	S392 and (stuff\$3 pad\$4) adj bits	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 13:52
S394	23	S392 and (stuff\$3 pad\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 13:54
S395	2	"20080095191".did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 14:12
S396	306	(switch button) with repeater with (non-repeater end)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 14:23
S397	192	(switch button) with repeater with (non-repeater end)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/07 14:24
S398	3551	(switch button) with repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/07 14:25
S399	202	( button) with repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/07 14:25

S400	317	(switch button) with repeater with (non-repeater terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/07 14:27
S401	316	(switch button) with repeater with ( terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/07 14:27
S402	11	( button) with repeater with (non-repeater terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/07 14:32
S403	20	( button) with repeater with (non-repeater terminal end)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/07 14:43
S404	4	(dip adj switch) with repeater with (non-repeater terminal end)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 14:44
S405	79	(back adj2 back) with repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 14:57
S406	122	(back adj2 back) with (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 14:59
S407	531	(select\$3) with repeater with (non-repeater terminal end)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 15:05
S408	47	(selector) with repeater with (non-repeater terminal end)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 15:05
S409	22	ds3 adj4 repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 15:10
S410	0	(selector) with repeater with (Ite)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 15:39

S411	637	(selector dipadj switch) with (repeater regenerator) with (terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 15:39
S412	94	(selector dipadj switch) with (function operation mode) with (repeater regenerator) with (terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 15:41
S413	3	(selector (dip adj switch)) with (function operation mode) with (repeater regenerator) with (terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 15:42
S414	8	(selector (dip adj switch) button) with (function operation mode) with (repeater regenerator) with (terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 15:43
S415	99	(selector (dip adj switch) button switch) with (function operation mode) with (repeater regenerator) with (terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 15:44
S416	772	(selector (dip adj switch) button) with (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 17:36
S417	260	((dip adj switch) button) with (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/07 17:37
S418	O	config with intermediate with (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:19
S419	39	config\$6 with intermediate with (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:19
S420	4	(switch button) with config\$6 with intermediate with (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:20
S421	0	(switch button) with config\$6 with (repeater regenerator) with Ite	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:21

S422	15	(switch button) with config\$6 with (repeater regenerator) with end	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:21
S423	0	((dip adj switch) button) with config\$6 with (repeater regenerator) with (end Ite office)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:23
S424	11	((dip adj switch) button) with config\$6 with (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:23
S425	11	((dip adj switch) button) with (config\$6 selct\$3) with (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:25
S426	0	((dip adj switch) button) with (config\$6 selct\$3) with (repeater regenerator) with terminal	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:26
S427	1	((dip adj switch) button) with (config\$6 selct\$3 program\$4) with (repeater regenerator) with terminal	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:26
S428	30	((dip adj switch) button) with (config\$6 selct\$3 program\$4) with (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:27
S429	174	(e1) with (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:31
S430	175	(e1) with (repeater regenerator lte)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:35
S431	12	(e1) with (repeater regenerator Ite) with (button switch)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 09:35
S435	111	pcm with (repeater regenerator) with (terminal end office)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:02

S437	8	pcm with (repeater regenerator) with (switch button) with (terminal end office)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:02
S438	57	(repeater regenerator) with "or" with (Ite end terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:05
S439	48	(repeater regenerator) with "or" with (Ite office terminal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:06
S440	345	(repeater regenerator) with (outside outdoor) with (Ite office terminal station)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:08
S441	1	(repeater regenerator) with (outside outdoor) with (Ite office terminal station) with button	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:09
S442	0	(repeater regenerator) with (outside outdoor) with (Ite station) with button	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:09
S443	237	(repeater regenerator) with (outside outdoor) with (Ite station)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:09
S444	7	(pcm e1 ti dsr) same (repeater regenerator) with (outside outdoor) with (Ite station)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:13
S445	1175	(pcm e1 ti dsr) same (repeater regenerator Ite)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:14
S446	755	(pcm e1 ti dsr) with (repeater regenerator Ite)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:14
S447	35	(pcm e1 ti dsr) with (repeater regenerator Ite) with (button switch)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:14

S448	1252	multiplexer with repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:23
S449	61	multiplexer with repeater same back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:24
S450	6	multiplexer with repeater same back adj2 back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:26
S451	8	multiplexer same (repeater regenerator) same back adj2 back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:28
S452	0	(inverse adj multiplexer) same back adj2 back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:30
S453	23	(inverse adj multiplexer) and back adj2 back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:30
S454	8	pulse adj link with repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:31
S455	0	(imux) same back adj2 back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:34
S456	325	(multiplexer) same back adj2 back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:34
S457	155	(multiplexer) with back adj2 back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:34
S459	4	(multiplexer) with back adj2 back same repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 10:35

S460	0	(inverser adj multiplexer) with concatenat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO;	OR	ON	2009/05/08 11:05
			DERWENT; IBM_TDB			
S461	0	(inverser adj multiplexer) with cascad\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:05
S462	0	(inverser adj multiplexer) with concat\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:05
S463	548	(demultiplexer demux) with (concat\$10 cascad\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:06
S464	2	(demultiplexer demux) with (concat\$10 cascad\$3) same repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:06
S465	9	(demultiplexer demux) with (concat\$10 cascad\$3) same repeat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:08
S466	13	(demultiplexer demux) with (concat\$10 cascad\$3) same (repeat\$3 regenerat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:08
S467	16	(demultiplexer demux (inverse adj multiplex\$3)) with (concat \$10 cascad\$3) same (repeat\$3 regenerat\$3)	US-PGPUB; US-PAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:13
S468	270	(demultiplexer demux (inverse adj multiplex\$3)) with (concat \$10 cascad\$3) and (repeat\$3 regenerat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:14
S469	972	pair adj gain	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:24
S470	147	(ds3 t3 sdh pdh stm ) same back adj2 back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:26

S471	47	(ds3 t3 sdh pdh stm ) with back adj2 back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 11:27
S472	8	pair adj gain and back adj back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 12:52
S473	65	pair adj gain and repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 12:54
S474	252	repeater and back adj back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 13:10
S475	62	repeater same back adj back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 13:11
S476	28	(inverse adj multiplexer) and repeater	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 13:20
S477	28	(inverse adj multiplexer) and (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 13:20
S478	46	(transmitter with receiver) with (back adj back) and (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 13:26
S479	35	(transmitter with receiver) with (back adj back) same (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 13:27
S480	35	(transmitter with receiver) with (back adj back) same (repeater regenerator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 15:43
S481	71	(transmitter with receiver) with (back adj back)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 15:52

S482	84	(transmitt\$3 with receive\$3) with (back adj back)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 15:59
S483	24	(transmitter with receiver) with (back adj back) same (transponder)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 16:08
S484	2038	(transmitter with connect\$3 with receiver) same (transponder repeat\$3 regenenerat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 16:10
S485	1199	(transmitter with connect\$3 with receiver) with (transponder repeat\$3 regenenerat\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 16:10
S486	25	(transmitter with connect\$3 with receiver) with (transponder repeat\$3 regenenerat\$3) with (back adj3 back)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 16:11
S487	107	(transmitter with connect\$3 with receiver) with (transponder repeat\$3 regenenerat\$3) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 16:11
S488	1	(transmitter with connect\$3 with receiver) with (transponder repeat\$3 regenenerat\$3) and inverse adj multiplex\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 16:22
S489	51	ds3 with pdh	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/08 16:38
S490	14	((zhangyi near wu) (gary near m near miller) (james near e near sclater) (filiz near taskin) (dvid near o near corp)).in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:37
S491	434	(inverse adj2 (multiplex\$3 mux)) with (frame framer packet cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/02 17:11
S492	322	S491 and (@ad<="20030711" or @rlad<="20030711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/02 17:12

S493	11	(inverse adj2 (multiplex\$3 mux)) with ( framer packetizer chopper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/02 17:14
S494	8	S493 and (@ad<="20030711" or @rlad<="20030711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/02 17:14
S495	419	((zhangyi near wu) (gary near miller) (james near sclater) (filiz near taskin) (david near corp)). in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/02 17:39
S497	1	S495 and inverse adj (mux multiplex\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/02 17:40
S502	315	inverse adj (mux multiplex\$3) with (fram\$3 packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 10:51
S503	229	S502 and (@ad<="20030711" or @rlad<="20030711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 10:51
S504	182	inverse adj (mux multiplex\$3) with (fram\$3 ((convert\$ form\$3 creat\$3 transform\$3) adj3 packet))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:05
S505	134	S504 and (@ad<="20030711" or @rlad<="20030711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:05
S506	2	"6148010".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:10
S507	113477	"134" and (copper twisted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 16:31
S508	182	inverse adj (mux multiplex\$3) with (fram\$3 ((convert\$ form\$3 creat\$3 transform\$3) adj3 packet))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 16:31

S509	134	S508 and (@ad<="20030711" or @rlad<="20030711")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 16:31
S510	26	S509 and (copper twisted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 16:31
S511	3695	hur.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 16:38
S512	14	hur.in. and ethernet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 16:38

## 3/5/2010 11:23:06 AM

C:\ Documents and Settings\ gvianadiprisco\ My Documents\ EAST\ Workspaces\ 10617363.wsp